

KATALOG PRODUK AGRINUSA

Animal Health



Agrinusa

adalah produsen obat hewan di Indonesia dan merupakan salah satu mata rantai strategis bisnis unit **Japfa**.

Kami menghasilkan bermacam produk untuk berbagai segmen, dari unggas sampai ternak besar, *hatchery*, *breeding* dan komersial farm. Dengan visi dapat menjadi *partner* yang baik para pengusaha peternakan di pasar Asia & Afrika, produk kami berdasarkan pada penelitian dan pengawasan yang ketat sesuai standart kualitas dan keamanan. Dengan tenaga ahli dan apoteker berpengalaman, kami mengembangkan dan menghasilkan produk sesuai **standart GMP** dan **ISO 9001:2015**. Semua produk melalui pengujian QC ketat dengan pengawasan tim QA pada setiap tahapan, sehingga terjamin mutunya sampai ke tangan konsumen.

*is an animal Pharmaceutical manufacturer in Indonesia and a strategic link in **Japfa Comfeed's** value chain. We produce a variety of livestock pharmaceutical, premix and chemical especially for poultry that are routinely used in hatcheries, breeding farms and commercial farms. With a vision of being the preferred partner for livestock producers in Asia and Africa, our products are backed by innovative research and strict adherence to international standards for quality and safety. With our team of experienced Pharmacist, we develop and produce our products according to **ISO 9001: 2015** standards and **Good Manufacturing Practice**. Our QC procedures are clearly established for each stage of the production cycle to deliver the quality assurance that we pride in our products.*



AGRIMOX 50

KEMENTAN RI NO. D. 19086009 PKS



DESCRIPTION

Antibiotika dalam bentuk serbuk untuk mengatasi *Clostridiosis*, *Staphylococcosis* dan *leg problem*.

It contains antibiotic in powder form to treat Clostridiosis, Staphylococcosis and leg problem.



INDICATION

Digunakan untuk pengobatan pada infeksi yang disebabkan oleh *Clostridium spp*, *Staphylococcus spp* dan masalah *leg problem*.

It is effective to treat infection caused by Clostridium spp, Staphylococcus spp and leg problem.



COMPOSITION

Tiap kg mengandung
Each kg contains :
Amoxyciline

500 g



APPLICATION

Pemberian 40 mg/kg
berat badan selama 3-5 hari
berturut-turut

*Administration at a dose of
40 mg/kg body weight for 3-5
consecutive days*



PACKAGING

100 g,
1 Kg,
10 Kg @ 100 g,
20 Kg @ 100 g,
50 Kg @ 100 g.



AGRIPRO

KEMENTAN RI NO. D. 19086010 PKC



DESCRIPTION

Farmasetik dalam bentuk cair untuk mengatasi *Coccidiosis*

It is a liquid pharmaceutical product to treat Coccidiosis.



INDICATION

Digunakan untuk pengobatan pada infeksi yang disebabkan oleh *Coccidiosis* yang disebabkan oleh *Eimeria sp.*

It is effective to treat Coccidiosis infection caused by Eimeria sp.



COMPOSITION

Tiap L mengandung
Each L contains :
Amprolium

200 g



APPLICATION

Kasus ringan 0,13 ml/kg berat badan selama 5-7 hari berturut-turut

Kasus berat 0,37 ml/kg berat badan selama 5-7 hari berturut-turut

Mild case: 0,13 ml/kg body weight for 5-7 consecutive days

Severe case: 0,37 ml/kg body weight for 5-7 consecutive days



PACKAGING

100 ml,
1 liter.



AGRISOL

KEMENTAN RI NO. D. 19083938 PKC. 1



DESCRIPTION

Antibiotik spektrum luas golongan *Quinolone* dalam bentuk cair, efektif mencegah dan mengobati infeksi pernapasan serta infeksi sistemik.

It contains quinolone antibiotic in liquid form effective to prevent and treat respiratory infection and systemic infection.



INDICATION

Secara efektif mencegah dan mengobati infeksi pernapasan bakteri dan infeksi sistemik, Bertindak cepat menghilangkan *mucous* yang terbentuk oleh infeksi Penyakit Pernafasan Kronis (CRD), *Colibacillosis*, *Coryza*, *Cholera*, *Staphylococcosis*, *Mycoplasmosis* dan *Salmonellosis*.

It is effective to prevent and treat respiratory infection, bacterial infection, and systemic infection. It quickly gets rid of excess mucous caused by Chronic Respiratory Disease (CRD), Colibacillosis, Coryza, Cholera, Staphylococcosis, Mycoplasmosis and Salmonellosis.



COMPOSITION

Tiap L mengandung

Each L contains :

Enrofloxacin 250 g



APPLICATION

Pemberian melalui air minum dosis
1 ml/5 L air atau 0,04 ml/kg berat
badan selama 3 - 5 hari
berturut -turut

*Administration via drinking water to
a dose of 1 ml per 5 L, equivalent to
0,04 ml/kg body weight,
for 3-5 consecutive days*



PACKAGING

100 ml,
1 liter.



AGRIXINE

KEMENTAN RI NO. D. 1110069 PKS. 1



DESCRIPTION

Antibiotik spektrum luas golongan *Quinolone* dalam bentuk serbuk larut air, bersifat bakterisidal untuk bakteri gram positif dan negatif.

It contains quinolone antibiotic in water soluble powder form with broad-spectrum bactericidal activity against Gram-positive and Gram-negative bacteria.



INDICATION

Digunakan untuk pengobatan *Chronic Respiratory Disease (CRD)*, *Colibacillosis*, *Coryza*, *Cholera*, *Staphylococcosis*, *Mycoplasmosis* dan *Salmonellosis*.

It is used for the treatment of Chronic Respiratory Disease (CRD), Colibacillosis, Coryza, Cholera, Staphylococcosis, Mycoplasmosis and Salmonellosis.



COMPOSITION

Tiap kg mengandung
Each kg contains :
Enrofloxacin 100 g



APPLICATION

Pemberian melalui air minum dosis
1 g/2 L air atau 100 mg/kg berat
badan selama 3 - 5 hari
berturut- turut

*Administration via drinking water to
a dose of 1 g per 2 L, equivalent to
100 mg/kg body weight,
for 3-5 consecutive days*



PACKAGING

100 g,
10 kg @ 100 g.



AGRIXINE Sol.



KEMENTAN RI NO. D. 1201467 PKS. 1



DESCRIPTION

Antibiotik spektrum luas golongan *Quinolone* dalam bentuk cair, bersifat bakterisidal untuk bakteri gram positif dan negatif.

It contains quinolone antibiotic in liquid form with broad-spectrum bactericidal activity against Gram-positive and Gram-negative bacteria.



INDICATION

Digunakan untuk pengobatan *Chronic Respiratory Disease (CRD)*, *Colibacillosis*, *Coryza*, *Cholera*, *Staphylococcosis*, *Mycoplasmosis* dan *Salmonellosis*.

It is used for the treatment of Chronic Respiratory Disease (CRD), Colibacillosis, Coryza, Cholera, Staphylococcosis, Mycoplasmosis and Salmonellosis.



COMPOSITION

Tiap L mengandung
Each L contains :

Enrofloxacin 100 g



APPLICATION

Pemberian melalui air minum dosis
1 ml/2 L air atau 0,1ml/kg berat
badan selama 3 - 5 hari
berturut- turut

*Administration via drinking water to
a dose of 1 ml per 2 L, equivalent to
0,1 ml/kg body weight,
for 3-5 consecutive days*



PACKAGING

100 ml,
1 liter.



ERYTROGRIN HC

KEMENTAN RI NO. D. 19073868 PKS. 1



DESCRIPTION

Antibiotik kombinasi spektrum luas dalam bentuk serbuk larut air yang mampu menjangkau saluran pencernaan maupun saluran pernapasan bahkan kantung hawa dengan aksi cepat.

It is a combination of broad-spectrum antibiotics in water soluble powder form, it can quickly reach both digestive and respiratory tracts as well as air sacs.



INDICATION

Digunakan untuk pengobatan infeksi bakteri Gram Positif, Gram Negatif dan *Mycoplasma*.

It is used for the treatment of infections caused by Gram-positive, Gram-negative bacteria and Mycoplasma.



COMPOSITION

Tiap kg mengandung

Each kg contains :

<i>Erithromycine</i>	200 g
<i>Doxycycline</i>	100 g



APPLICATION

Pemberian melalui air minum dosis 1 g/2 L air atau 100 mg/kg berat badan selama 3 - 5 hari berturut- turut

Administration via drinking water to a dose of 1 g per 2 L, equivalent to 100 mg/kg body weight, for 3-5 consecutive days



PACKAGING

100 g,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



FLOXAMYCINE

KEMENTAN RI NO. D. 13101900 PKC. 2



DESCRIPTION

Antibiotik spektrum luas golongan *Quinolone* dalam bentuk cair, bersifat bakterisidal untuk bakteri gram positif dan negatif, dengan stabilizer yang dapat diaplikasikan diberbagai kondisi air minum.

It contains quinolone antibiotic in liquid form, has broad-spectrum bactericidal activity against Gram-positive and Gram-negative bacteria and with stabilizer added to it, it can be used under varied water condition.



INDICATION

Digunakan untuk pengobatan *Chronic Respiratory Disease (CRD)*, *Colibacillosis*, *Coryza*, *Cholera*, *Staphylococcosis*, *Mycoplasmosis* dan *Salmonellosis*.

It is used for the treatment of Chronic Respiratory Disease (CRD), Colibacillosis, Coryza, Cholera, Staphylococcosis, Mycoplasmosis and Salmonellosis.



COMPOSITION

Tiap L mengandung

Each L contains :

Enrofloxacin 100 g



APPLICATION

Pemberian melalui air minum dosis
1 ml/2 L air atau 0,1 ml/kg berat
badan selama 3 - 5 hari berturut -turut

*Administration via drinking water to
a dose of 1 ml per 2 L, equivalent to
0,1 ml/kg body weight,
for 3-5 consecutive days*



PACKAGING

100 ml,
1 liter.



AJS AGRINUSA
PT. AGRINUSA JAYA SANTOSA

JAPFA



LEUCOGRIN SM

KEMENTAN RI NO. D. 19126137 PKC



DESCRIPTION

Antiparasit dalam bentuk cair untuk mengatasi *Leucozytozoonosis* dan malaria unggas

It is antiparasite in liquid form to treat Leucozytozoonosis and Avian Malaria



INDICATION

Digunakan untuk infeksi parasit darah seperti *Leucocytozoon* dan *Plasmodium*.

It is effective to treat infection caused by blood parasites, such as Leucocytozoon and Plasmodium.



COMPOSITION

Tiap L mengandung
Each L contains :
Sulfamonomethoxine 200 g



APPLICATION

Pemberian dengan dosis 0,05 ml/kg berat badan selama 5 hari berturut - turut

Administration at a dose of 0,05 ml/kg body weight for 5 consecutive days



PACKAGING

100 ml,
1 liter.



LEVAGRIN

KEMENTAN RI NO. D. 12064293 PKS



DESCRIPTION

Antiparasit spektrum luas dalam bentuk serbuk untuk mengatasi infestasi cacing pita (cestoda) maupun cacing gilig (nematoda) serta meningkatkan kekebalan tubuh.

It contains broad-spectrum antiparasite agent in powder form to treat infestation of tape worms (cestodes) and round worms (nematodes) as well as to boost the immune system.



INDICATION

Digunakan untuk mengendalikan infeksi cacing pita (cestoda) dan cacing gilig (nematoda).

It is used to control the infestation of tape worms (cestodes) and round worms (nematodes).



COMPOSITION

Tiap kg mengandung

Each kg contains :

Niclosamide 320 g

Levamisole 120 g



APPLICATION

Pemberian dengan dosis 300 mg/kg berat badan dicampur pakan

Administration mixed in the feed at a dose of 300 mg/kg body weight



PACKAGING

100 g,

1 kg,

10 kg @ 100 g.



TOLTRACOX

KEMENTAN RI NO. D. 11013984 PKC



DESCRIPTION

Antiparasit dalam bentuk cair yang mampu membunuh pada semua tahap siklus hidup *Eimeria* sp.

Antiparasite agent in liquid form effective to destroy all stages of Eimeria sp.



INDICATION

Cocok digunakan untuk pengobatan dan kontrol Coccidiosis pada unggas.

It is effective to treatment and control of Coccidiosis in poultry.



COMPOSITION

Tiap L mengandung
Each L contains :
Toltrazuril

25 g



APPLICATION

Pemberian melalui air minum dosis
28 ml/100 kg berat badan selama
2 hari berturut - turut

*Administration via drinking water
to a dose of 28 ml per 100 kg body
weight to the drinking water
for 2 consecutive days*



PACKAGING

100 ml,
1 liter



TRIMETOGRIN

KEMENTAN RI NO. D. 13052720 PKS. 1



DESCRIPTION

Antibiotik kombinasi dalam bentuk serbuk larut air untuk mengatasi CRD kompleks.

It is a combination of antibiotics in water soluble powder form effective to treat CRD complex.



INDICATION

Digunakan untuk mengatasi Colibacillosis dan penyakit bakteri akut, Coryza, Cholera dan Chronic Respiratory Disease (CRD) Complex.

It is used for the treatment of Colibacillosis and acute bacterial diseases, Coryza, Cholera and Chronic Respiratory Disease (CRD) Complex.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Sulfadiazin 200 g

Trimethoprim 40 g



APPLICATION

Pemberian melalui air minum dosis
1 g/2 L air atau 100 mg/kg berat
badan selama 3 - 5
hari berturut- turut

*Administration via drinking water to a
dose of 1 g per 2 L, equivalent to 100
mg/kg body weight, for 3-5
consecutive days*



PACKAGING

100 g,

10 kg @ 100 g,

20 kg @ 100 g.



VERMEZOLE

KEMENTAN RI NO. D. 17125384 PKC



DESCRIPTION

Antiparasit dalam bentuk cair untuk mengatasi infeksi cacing dan ektoparasit.

It is contains antiparasite agent in liquid form to treat worms and ectoparasites infection.



INDICATION

Digunakan untuk pengobatan infeksi cacing nematoda, cacing hati (*trematoda*) dan ektoparasit.

It is used to treat nematodes, fasciolosis (trematodes) and ectoparasites.



COMPOSITION

Tiap L mengandung

Each L contains :

Ivermectin

1 g

Triclabendazole

60 g



APPLICATION

Pemberian dengan dosis 2 ml/10 kg berat badan

Administration at a dose of 2 ml per 10 kg body weight



PACKAGING


100 ml,

1 liter.



ZETAMOL

KEMENTAN RI NO. D. 15034966 PTC



DESCRIPTION

Cairan analgetik-antipiretik untuk meringankan rasa sakit dan demam.

It is an analgetic-antipyretic for pain relief and fever reduction in liquid form.



INDICATION

Digunakan efektif untuk nyeri rasa sakit dan demam akibat *de-beaking*, post vaksinal AI dan *Coryza*, stres akibat pindah kandang dan terapi *outbreak* Gumboro.

It is effective for pain relief and fever reduction caused by debeaking, post-AI vaccination, stress conditions after transportation and therapy for Gumboro outbreak.



COMPOSITION

Tiap L mengandung

Each L contains :

<i>Paracetamol</i>	15 g
<i>Sorbitol</i>	



APPLICATION

Pemberian dengan dosis :

0,2 ml/kg berat badan selama 3 hari

Administration at a dose of 0,2 ml/kg body weight for 3 days



PACKAGING

100 ml,

1 liter.



AGRICARIVIT

KEMENTAN RI NO. D. 16103356 PTS. 1



DESCRIPTION

Kombinasi multivitamin, elektrolit dan carnitin dalam bentuk serbuk larut air.

It is a combination of multivitamin, electrolyte, and carnitine in water soluble powder form.



COMPOSITION

Tiap kg mengandung
Each kg contains :

Vitamin A	12.500.000 IU
Vitamin D3	1.500.000 IU
Vitamin E	2.000 mg
Vitamin B12	10 mg
Vitamin B6	1.500 mg
Vitamin C	15.000 mg
Vitamin K3	3.500 mg
Carnitin	10.000 mg
Folic Acid	170 mg
NaCl	2.500 mg
KCL	2.500 mg
CaCO ₃	20.000 mg
MgSO ₄	125.000 mg



INDICATION

Mengurangi kasus *Sudden Death Syndrom*, mengubah lemak menjadi otot, mengurangi resiko penyakit jantung kongesif, merangsang nafsu makan dan meningkatkan pertumbuhan, menjaga stabilitas otot dan cairan intrasellular tubuh, mengurangi kasus kelumpuhan.

It significantly lowers the case of Sudden Death Syndrome, turns fat into muscle, lowers the risk of congestive heart failure, stimulates appetite, promotes growth, maintain muscle and intracellular fluid stability, and control paralysis case.



APPLICATION

Pemberian melalui air minum dengan dosis 1 - 2 g/L air selama 3 - 5 hari

Administration via drinking water to a dose of 1-2 g/L water for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



AGRIMINOVIT

KEMENTAN RI NO. D. 12022464 PTS. 1



DESCRIPTION

Kombinasi vitamin dan asam amino dalam bentuk serbuk larut air.

It contains combination of vitamin and amino acid in water soluble powder form.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Vitamin A	10.000.000 IU
Vitamin D3	1.000.000 IU
Vitamin E	10.000 IU
Vitamin B1	3.000 mg
Vitamin B2	4.000 mg
Vitamin B6	1.500 mg
Vitamin C	25.000 mg
Vitamin K3	1.500 mg
Nicotinamide	5.000 mg
Methionine	50.000 mg
Lysine	50.000 mg
Glycine	8.000 mg
Ca-d-panthothenate	10.000 mg



INDICATION

Meningkatkan daya tahan tubuh dan mengatasi stres, meningkatkan kualitas produksi, mempercepat pertumbuhan dan mengoptimalkan produksi telur.

It is effective to boost immune system and overcome stress, improve production quality, promote fast growth, and optimize egg production.




APPLICATION

Unggas : 1 g/2 L air minum selama 4-8 hari

Sapi, Domba, Kambing, Kuda :
1 g/1 L air minum selama 3-5 hari

Poultry : 1 g per 2 L of drinking water for 4-8 days

Cow, sheep, goat, horse : 1 g per 1 L of drinking water for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



AGRISELVIT

KEMENTAN RI NO. D. 13024463 PTS



DESCRIPTION

Kombinasi multivitamin dan selenium dalam bentuk serbuk larut air.

It is a combination of multivitamin and selenium in water soluble powder form.



COMPOSITION

Tiap kg mengandung
Each kg contains :

Vitamin A	1.500.000 IU
Vitamin E	4,5 g
Vitamin B12	0,001 g
Vitamin B2	0,21 g
Vitamin B6	0,25 g
Vitamin C	0,25 g
Vitamin K3	2 g
Vitamin B1	1 g
Folic Acid	0,05 g
Na	5 g
Ca	4 g
K	5 g
Mg	4 g
Selenium	0,036 g
Nicotinamide	2 g
Ca-d-panthothenate	1 g



INDICATION

Antidefisiensi vitamin dan mineral, memperbaiki reproduksi, antioksidan untuk pertahanan sel dari radikal bebas dan toksin serta kesuburan dan daya tetas.

It prevents and controls vitamin and mineral deficiency, improves reproduction, antioxidants to protect cells from free radicals and toxins, fertility and hatchability.



APPLICATION

Pemberian melalui air minum dengan dosis 1 g /2 L air selama 3 - 5 hari

Administration via drinking water to a dose of 1 g per 2 L for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



AGRIVIT POWER

KEMENTAN RI NO. D. 13034474 PTS



DESCRIPTION

Kombinasi multivitamin dan adenosina trifosfat (ATP) dalam bentuk serbuk larut air.

It is a combination of multivitamin and ATP in water soluble powder form.



INDICATION

Meningkatkan kondisi dan daya tahan tubuh, mengatasi kelelahan, membantu proses penyembuhan, hepatoprotektor.

It is effective in the case of fatigue, to increase body condition, to boost immune system, to improve recovery, and in hepatoprotective role.



COMPOSITION

Tiap kg mengandung
Each kg contains :

Vitamin A	2.500.000 IU
Vitamin D3	500.000 IU
Vitamin B12	2 mg
Vitamin B1	1.000 mg
Vitamin B2	1.000 mg
Vitamin B6	500 mg
Vitamin K3	100 mg
Inositol	300 mg
ATP	1.000 mg
A-Tocoferol	1.000 mg
Ca-d-pantothenate (B5)	1.000 mg
Asam Amino Konsentrat	15.450 mg
Pengisi Ad	1.000 g



APPLICATION

Pemberian melalui air minum dengan dosis 1 g /2 L air selama 3 - 5 hari

Administration via drinking water to a dose of 1 g per 2 L for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



ASTRESVIT

KEMENTAN RI NO. D. 12021003 PTS. 1



DESCRIPTION

Kombinasi multivitamin dengan elektrolit dalam bentuk serbuk larut air.

It is a combination of multivitamin and electrolyte in water soluble powder form.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Vitamin A	8.000.000 IU
Vitamin D3	1.600.000 IU
Vitamin E	8.000 IU
Vitamin B12	8.000 mcg
Vitamin B6	1.600 mg
Vitamin C	28.000 mg
Vitamin K3	2.400 mg
Vitamin B1	1.200 mg
Vitamin B2	1.800 mg
Folic Acid	120 mg
NaCl	1.000 mg
KCl	1.000 mg
Ca-d-panthothenate (B5)	6.000 mg
Nicotinamide (B3)	16.000 mg



INDICATION

Mengatasi stres akibat perubahan lingkungan, menjaga keseimbangan elektrolit tubuh, meningkatkan nafsu makan, memelihara kesehatan dan produksi, meningkatkan stamina tubuh.

It has high efficacy in case of stress caused by environmental changes, to keep electrolyte balanced in the body, to stimulate appetite, to maintain health and productivity, and to boost stamina.



APPLICATION

Pemberian melalui air minum dengan dosis 1 - 2 g/L air selama 3 - 5 hari

Administration via drinking water to a dose of 1-2 g/L for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



CARNYVIT

KEMENTAN RI NO. D. 12101870 PTS. 2



DESCRIPTION

Kombinasi multivitamin, elektrolit, dan carnitin dalam bentuk serbuk larut air.

It contains combination of multivitamin, electrolyte, and carnitine in water soluble powder form.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Carnitine HCL	10 g
Vitamin A	12.500.000 IU
Vitamin D3	1.500.000 IU
Vitamin E	2.000 mg
Vitamin B12	10 mg
Vitamin B6	1.500 mg
Vitamin C	15.000mg
Menadion Sodium Bisulfit	3.500 mg
Folic Acid	170 mg
NaCl	2,5 g
KCL	2,5 g
Calcium Asetat	2,5 g
Magnesium Sulfat	125 g
Laktosa ad	1.000 g



INDICATION

Mengurangi kasus *Sudden Death Syndrom*, Mengubah lemak menjadi otot, mengurangi resiko penyakit jantung kongesif, merangsang nafsu makan dan meningkatkan pertumbuhan, menjaga stabilitas otot dan cairan intrasellular tubuh, mengurangi kasus kelumpuhan.

It is significantly lowers the case of Sudden Death Syndrom, turns fat into muscle, lowers the risk of congestive heart failure, stimulates appetite, promotes growth, maintain muscle stability, and control paralysis case.



APPLICATION

Berikan 2 minggu sekali:

Unggas : 1-2 g/L air minum selama 3-5 hari

Sapi : 10 g/L air minum selama 3-5 hari

Babi : 5 g/L air minum selama 3-5 hari

Administration via drinking water once every two weeks at a dose of:

Poultry : 1-2 g/L for 3-5 days

Cow : 10 g/L for 3-5 days

Swine : 5 g/L every 3-5 day



PACKAGING

100 g,

15 kg @250g.



HITOPVIT

KEMENTAN RI NO. D. 12021004 PTS. 1



DESCRIPTION

Multivitamin konsentrasi tinggi dalam bentuk serbuk larut air.

It contains high concentrated multivitamin in water soluble powder form.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Vitamin A	60.000.000 IU
Vitamin D3	12.000.000 IU
Vitamin E	120.000 IU
Vitamin B12	42.000 mcg
Vitamin B6	4.200 mg
Vitamin C	150.000 mg
Vitamin K3	6.000 mg
Vitamin B1	2.100 mg
Vitamin B2	24.000 mg
Folic Acid	3.000 mg
Ca-d-panthothenate (B5)	30.000 mg
Nicotinamide (B3)	60.000 mg
Biotin	115 mg



INDICATION

Memperkuat kondisi ayam saat stres dan sakit, meningkatkan fertilitas dan produksi telur, meningkatkan kualitas daging, membantu metabolisme karbohidrat, meningkatkan produksi sel darah merah dan nafsu makan, meningkatkan enzimatis pencernaan, meningkatkan sintesa asam amino dan fungsi hormonal, mempercepat pembentukan otot dan pertumbuhan.

It is effective to improve the conditions of chickens under stress and during illness, boost fertility and egg production, improve meat quality, control carbohydrate metabolism, increase red blood cell count, stimulate appetite, improve digestive enzymes, improve amino acid synthesis and hormone function, make muscle building and development faster.



APPLICATION

Pemberian melalui air minum dengan dosis 1 g/12 L air selama 3 - 5 hari

Administration via drinking water to a dose of 1 g per 12 L for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 g,
20 kg @ 100 g,
50 kg @ 100 g.



PHYCURMA

KEMENTAN RI NO. D. 13124688 ATC



DESCRIPTION

Kombinasi herbal untuk menangkal radikal bebas dan hepatoprotektor dalam bentuk cair.

It contains herb combinations in liquid form.



INDICATION

Meningkatkan nafsu makan, menangkal radikal bebas, meningkatkan kekebalan tubuh, memperbaiki konversi pakan.

Increase appetite, ward off free radicals, boost immunity, improve feed conversion.



COMPOSITION

Tiap L mengandung

Each L contains :

<i>Curcuma domestica extract</i>	25 g
<i>Curcuma xanthorrhiza extract</i>	15 g
<i>Phyllanthus niruri extract</i>	10 g
<i>Dextrose</i>	200 g



APPLICATION

Pemberian melalui air minum dengan dosis
1 g/2 L air selama 3 - 5 hari

*Administration via drinking water to
a dose of 1 g per 2 L for 3-5 days*



PACKAGING

100 ml,
1 liter.



STRESSGRIN



KEMENTAN RI NO. D. 15052874 PTS. 1



DESCRIPTION

Multivitamin dalam bentuk serbuk larut air.

It is a multivitamin in water soluble powder form.



COMPOSITION

Tiap kg mengandung

Each kg contains :

Vitamin A	5.000.000 IU
Vitamin D3	500.000 IU
Vitamin E	2.500 mg
Vitamin K3	500 mg
Vitamin B2	3.000 mg
Folic Acid	240 mg
Vitamin B12	12,5 mg
Nicotinamide (B3)	12,5 g
Ca-d-panthothenate (B5)	5 g
NaCl	1 g
KCl	1 g



INDICATION

Mengatasi stres akibat perubahan lingkungan, menjaga keseimbangan elektrolit tubuh, meningkatkan nafsu makan, memelihara kesehatan dan produksi, meningkatkan stamina tubuh.

It has high efficacy in the case of stress caused by environmental changes, to keep electrolyte balanced, to stimulate appetite, to maintain health and productivity, and to boost stamina.



APPLICATION

Pemberian melalui air minum dengan dosis 1 g/2 L air selama 3 - 5 hari

Administration via drinking water to a dose of 1 g per 2 L for 3-5 days



PACKAGING

100 g,
1 kg,
10 kg @ 100 gr
20 kg @ 100 g,
50 kg @ 100 g.



AGRIMIX

KEMENTAN RI NO. D. 16053065 FTS. 1



DESCRIPTION

Premix kombinasi multivitamin, asam amino dan mikromineral dalam bentuk serbuk sebagai imbuhan pakan.

It is a premix containing combination of multivitamin, amino acid, and microminerals in powder form as feed additive.



COMPOSITION

Tiap kg mengandung
Each kg contains :

Vitamin A	2.000.000 IU
Vitamin D3	400.000 IU
Vitamin E	600 mg
Vitamin B1	200 mg
Vitamin B2	1.000 mg
Vitamin B12	2 mcg
Vitamin K3	200 mg
Ca-d-Panθοthenate	500 mg
Nicotinamide	1.500 mg
Methionine	20.000 mg
Lysine	15.000 mg
Choline Chloride	20.000 mg
Fe SO ₄	5.000 mg
MnO	10.000 mg
Cu SO ₄	1.000 mg
Zn SO ₄	2.000 mg
Mg SO ₄	10.800 mg
KI	20 mg
Folic Acid	100 mg
Ca CO ₃	ad 1.000.000 mg



INDICATION

Suplemen multivitamin, asam amino dan mikromineral untuk memperbaiki konversi pakan, meningkatkan daya tahan tubuh.

It contains multivitamin supplement, amino acid and microminerals to improve feed conversion and boosting immune system.



APPLICATION

Pemberian dosis 1-5 kg/ton pakan

Administration mixed with the feed at a dose of 1-5 kg/ton



PACKAGING

1 kg,
25 kg.



AGRIMIX Bro

KEMENTAN RI NO. D. 13074579 FTS



DESCRIPTION

Premix kombinasi multivitamin dan mikromineral broiler dalam bentuk serbuk sebagai imbuhan pakan.

It is a combination of multivitamin and microminerals for broilers in powder form as feed additive.



INDICATION

Memperbaiki rasio konversi pakan, memperbaiki ADG, meningkatkan daya tahan tubuh, menekan mortalitas dan mencegah kelumpuhan.

It improves feed conversion, ADG, boosts immune system, controls mortality, and prevents lameness.



COMPOSITION

Tiap kg mengandung
Each kg contains :

Vitamin A	2.500.000 IU
Vitamin D3	400.0000 IU
Vitamin E	2.000 mg
Vitamin B1	200 mg
Vitamin B2	1.000 mg
Vitamin B12	4 mg
Ca-d-panthothenate	500 mg
Biotin	200 mg
Folic Acid	100 mg
Niacin	10.800 mg
Lysine Hydrochloride	20.000 mg
Choline Chloride	5.000 mg
Fe SO4	5.000 mg
MnO	6.000 mg
Cu SO4	10.000 mg
Ca CO3 add	1.000.000 mg



APPLICATION

Pemberian dosis 1-2 kg/ton pakan

*Administration mixed with the feed
at a dose of 1-2 kg/ton*




PACKAGING

1 kg,
25 kg.



TYLOGRIMIX



KEMENTAN RI NO. D. 16103517 PKS. 1



DESCRIPTION

Premix antibiotik dengan kandungan Tylosin fosfat dalam bentuk serbuk untuk campuran pakan.

It is a antibiotic premix containing Tylosin phosphate in powder form for feed mixture.



INDICATION

Digunakan untuk pengobatan *Mycoplasmosis* dan *Clostridiosis* melalui campuran pakan.

It is used for the treatment of Mycoplasmosis and Clostridiosis through a mixture of feed.



COMPOSITION

Tiap kg mengandung

*Each kg contains :
Tylosin Phosphate*

220 g



APPLICATION

Pemberian dosis:

Unggas;

Mycoplasmosis : 4.5 kg/ton selama 7 hari,

Clostridiosis : 0.5 kg/ton selama 7 hari

Babi;

Atropic Rhinitis, Dysentery dan PPE/Ileitis :

0.5 kg/ton selama 3 minggu

Dosage and administration:

Poultry;

Mycoplasmosis: 4.5 kg/ton for 7 days,

Clostridiosis: 0.5 kg/ton for 7 days

Swine;

Atropic Rhinitis, Dysentery and PPE/Ileitis :

0.5 kg/ton for 3 weeks



PACKAGING

25 kg



AGRICID

KEMENTAN RI NO. D. 1202081 PTC. 1



DESCRIPTION

Disinfektan golongan iodosfor yang bersifat germisidal, sporisidal, fungicidal, amoebisidal tidak korosif dan tidak mengiritasi kulit.

It is iodophor-type disinfectant that is germicidal, sporicidal, fungicidal, amoebicidal, non-corrosive and non-irritant to human skin.



INDICATION

Disinfeksi kandang dan peralatan serta fasilitas kandang dan produksi serta sanitasi air minum.

It is effective for disinfection of housing, equipment, house and production facilities and for drinking water sanitation.



APPLICATION

Disinfeksi berkala dengan dosis 1 : 500; disinfeksi khusus, saat ada wabah 1 : 250; dan sterilisasi air minum dengan dosis 1 : 2500

For periodic disinfection, at a dose of 1 : 500; for specific disinfection during outbreak, at a dose of 1 : 250; and drinking water sterilization, at a dose of 1 : 2500




COMPOSITION

Tiap L mengandung
Each L contains :

Povidon Iodine
Aquadestilata ad

30 g
1.000 ml




PACKAGING

1 liter,
5 liter,
20 liter.



BENZALVAKS



KEMENTAN RI NO. D. 15042130 PTC. 2



DESCRIPTION

Disinfektan golongan kuarternar jenis surfaktan yang bersifat germisidal.

This disinfectant belongs to the type of quaternary with germicidal activity.



INDICATION

Disinfeksi kandang tercemar, sanitasi, sterilisasi air minum dan mencuci telur.

It is effective for disinfection of contaminated housing, sanitation, drinking water sterilization and washing eggs.



APPLICATION

Disinfeksi kandang tercemar, sanitasi, sterilisasi ruang setter dan hatchery serta peralatan dengan dosis 60 ml/10 L air; Cuci tangan dan kaki 20 ml/10 L air; Sterilisasi air minum dengan dosis 5 ml/10 L air; cuci telur dengan dosis 10 ml/1 L air

For of contaminated housing, sanitation, sterilization of setter and hatchery room and equipment, apply at a dose of 60 ml per 10 L of water; for hand and foot washing, apply at a dose of 20 ml per 10 L of water; for drinking water sterilization, apply at a dose of 5 ml per 10 L of water; for washing eggs, apply at a dose of 10 ml per 1 L of water



COMPOSITION

Tiap L mengandung
Each L contains :

Benzalkonium Chloride

10 %



PACKAGING

1 liter,
20 liter.



BIODAN

KEMENTAN RI NO. D. 19050318 PTC. 2



DESCRIPTION

Disinfektan spektrum luas.

This disinfectant has broad-spectrum activity.



INDICATION

Disinfektan untuk membunuh virus, bakteri dan jamur.

This disinfectant is effective in killing virus, bacteria and fungi.



APPLICATION

Campur dengan air bersih untuk :

Membasmi virus	1-6,7 cc/L air
Membasmi bakteri	1-5 cc/L air
Membasmi jamur	1 cc/L air
Campuran air minum	0,3 cc/L air
Semprot kandang dan-peralatan	3 cc/L air

Diluted with clean water before use

To kill virus : 1-6,7 cc/ L of water

To kill bacteria : 1-5 cc/ L of water

To kill fungi : 1 cc/ L of water

Mixed in drinking water :

0,3 cc/ L of water

To spray houses and equipment :

3 cc/ L of water




COMPOSITION

Tiap L mengandung

Each L contains :

<i>Glutaraldehyde</i>	15%
<i>Cocobenzyl dimethyl ammonium-chloride</i>	10%



PACKAGING

1 liter,
5 liter,
20 liter.



BIODAN PLUS



KEMENTAN RI NO. D. 19053437 PTC. 1



DESCRIPTION

Disinfektan spektrum luas dengan konsentrasi tinggi.

High concentrate disinfectant with broad-spectrum activity.



INDICATION

Disinfeksi kandang yang tercemar penyakit, disinfeksi peralatan, sterilisasi air minum, disinfeksi telur tetas dan semprot kandang.

It is effective to disinfect houses contaminated with disease, equipment, to sterilize drinking water, to disinfect hatching eggs and to spray houses.



APPLICATION

Campur dengan air bersih untuk :

Disinfeksi kandang yang-tercemar penyakit	: 1,5	cc/L air
Disinfeksi peralatan	: 1,5	cc/L air
Campuran air minum	: 0,15	cc/L air
Disinfeksi penetas telur	: 0,9	cc/L air

Diluted with clean water before use,

To disinfect houses contaminated

with disease : 1,5 cc/L of water

To disinfect equipmen : 1,5 cc/L of water

Mixed in drinking water : 0,15 cc/L of water

To disinfect egg hatcher : 0,9 cc/L of water



COMPOSITION

Tiap L mengandung

Each L contains :

Glutaraldehyde	30%
Cocobenzyl dimethyl ammonium-chloride	20%




PACKAGING

1 liter,
5 liter,
20 liter.



DESGRIN



KEMENTAN RI NO. D. 13052741 PTC. 1



DESCRIPTION

Disinfektan spektrum luas yang ampuh membunuh mikroorganisme patogen seperti bakteri, virus, jamur dan spora.

This disinfectant has broad-spectrum activity that is effective to kill pathogenic microorganisms, like bacteria, viruses, fungi and spores.



INDICATION

Disinfeksi kandang rutin dan saat ada kasus penyakit, disinfeksi kendaraan, peralatan, serta ruang setter dan hatchery.

It is effective for routine disinfection of houses and in case of disease, vehicles, equipment, and setter and hatchery room.



APPLICATION

Disinfeksi berkala dengan dosis 4 ml/L air;
Disinfeksi saat ada wabah dengan dosis 8 ml/L air; Disinfeksi kendaraan dan Peralatan kandang 4 ml/L air; Disinfeksi ruang setter dan hatchery 8 ml/L air; Sanitasi kandang harian 1 ml/L air

For periodic disinfection, apply at a dose of 4 ml/L of water

For disinfection during outbreak, apply at 8 ml/L of water

For disinfection of vehicles and house equipment, apply at 4 ml/L of water

For disinfection of setter and hatchery room, apply at 8 ml.L of water

For daily house sanitation, apply at 1 ml/L of water



COMPOSITION

Tiap L mengandung
Each L contains :

Benzalkonium Klorida	260 g
Glutaraldehyde	70 g
Aquadestilata ad	1.000 ml



PACKAGING

1 liter,
5 liter,
20 liter.





Kantor pusat :

Komplek Kedoya Elok Plaza Blok DE - 12,
Jl. Panjang, RT.19 / RW.4, Kedoya Selatan,
Kebonjeruk, Kota Jakarta Barat, Jakarta 11520
Indonesia

T. (62-21) 5812819

F. (62-21) 581 2820 / 580 6339

w. www.japfacomfeed.co.id/id/poultry/farm-supplies

